

| Wintergreen Fire & Rescue Equipment Response Matrix | | | | | | | | | | | | |
|--|------------|------------|------------|------------|------------|------------|------------|------------|------------|--------------|--------------|------------|
| Mountain Station | T-1 | E-1 | E-2 | E-3 | A-5 | T-7 | B-8 | R-9 | Amb | R 180 | R 174 | S-1 |
| Medical - On Property | | | | | | | | | 1st | 1st | As Nd | |
| Med - Off Property | | | | | | | | | 1st | As Nd | As Nd | |
| Car Fire | | | 1st | | | | | 1st | Vols | | | |
| Smoke Investigation | | | 1st | | | | 1st | | | | | |
| Structural Calls | 1st | | 1st | | | | | 1st | | | | |
| Commercial/Condo Alarm | 1st | Stndby | 1st | | | | | 1st | | | | |
| Residential Fire Alarm | | Stndby | 1st | | | | | 1st | | | | |
| Working Fire | 1st | 1st | 1st | | | | | | Vols | | | 1st |
| Contact Co - 19 | | | | | | | | | | | | |
| Brush Fire | | | 1st | | | | 1st | | | | | |
| Respond ATV 1 | | | | | | | | | | | | |
| MVC | | | 1st | | | | | NO | 1st | | | 1st |
| Second Ambulance Responds From Valley | | | | | | | | | | | | |
| Hazmat | | | 1st | | | | | 1st | 1st | | | |
| Search | | | | | | | | | | | | 1st |
| Ambulance Responds From Valley | | | | | | | | | | | | |
| Valley Station | T-1 | E-1 | E-2 | E-3 | A-5 | T-7 | B 8 | R 9 | Amb | R 180 | R 174 | S-1 |
| Medical - On Property | | | | | | | | 1st | 1st | As Nd | | |
| Also includes Nellysford | | | | | | | | | | | | |
| Med - Off Property | | | | | | | | | 1st | As Nd | As Nd | |
| Medic Chase Only | | | | | | | | 1st | | | | |
| Car Fire | | 1st | | | | | | | Vols | 1st | | |
| Smoke Investigation | | 1st | | | | | 1st | | | Stndby | | |
| Structural Calls | | 1st | | 1st | | | | | | 1st | | |
| All Alarm Activations | | 1st | Stndby | | | | | | | 1st | | |
| Working Fire | | 1st | | 1st | | As Nd | | | Vols | | | 1st |
| Contact Co - 5 | | | | | | | | | | | | |
| Brush Fire | | 1st | | | | As Nd | 1st | | | 1st | | |
| A5 And/Or ATV 1 if Need | | | | | | | | | | | | |
| MVC | | 1st | | | | | | | 1st | | Vols | 1st |
| Hazmat | | 1st | | | | | | | 1st | 1st | | |
| Search | | | | | | | | | 1st | | | 1st |
| Only Shift Supervisors May Modify Responses | | | | | | | | | | | | |
| A5 May Be Used as Substitute Engine During Snow/Ice | | | | | | | | | | | | |